






Section VII. Technical Specifications



Bidders must state “**Comply**” in the column “**Statement of Compliance**” against each of the individual parameters of each “Specifications.”







‘Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1(a)(ii).’





NOTE: The photos below are for reference only.

| Procurement of Various Maintenance Materials for the Presidential Communications Office (PCO) [Procurement/Contract No. 2025-05-053] | | | |
|--|----------------------|----------|-------------------------|
| AIR CONDITIONING MATERIALS | | | |
| Unit | Breakdown of Items | Quantity | Statement of Compliance |
| rolls | 1/4 Copper Pipe 0.28 | 5 | |
| rolls | 3/8 Copper Pipe 0.28 | 5 | |
| rolls | 1/2 Copper Pipe 0.28 | 5 | |
| rolls | 5/8 Copper Pipe 0.28 | 5 | |
| rolls | 3/4 Copper Pipe 0.28 | 5 | |
| Reference Photo:  | | | |
| pcs | Polyethylene Tape | 100 | |
| Reference Photo: | | | |

| | | | |
|--|--|----|--|
|  | | | |
| set | Gauge Manifold for R410a & R600 use Hi & Lo | 2 | |
| Reference Photo:  | | | |
| pc | Tube Cutter Big | 3 | |
| Reference Photo:  | | | |
| pcs | Rubber Insulation 1/4 x 1/2 | 50 | |
| pcs | Rubber Insulation 3/8 x 1/2 | 50 | |
| pcs | Rubber Insulation 1/2 x 1/2 | 50 | |
| pcs | Rubber Insulation 5/8 x 1/2 | 50 | |
| pcs | Rubber Insulation 3/4 x 1/2 | 50 | |
| Reference Photo:  | | | |
| pcs | Air Con. Universal Wall bracket for 1.5hp | 10 | |
| pcs | Air Con.Universal Wall Bracket for 1.0hp | 10 | |

| | | | |
|--|---|----|--|
| pcs | Air Con.Universal Wall Bracket for 2.0hp | 10 | |
| pcs | Air Con.Universal Wall Bracket for 3.0hp | 10 | |
| Reference Photo:  | | | |
| pcs | Universal Aircon Cleaning Wash Bag 4 in 1 | 3 | |
| Reference Photo:  | | | |
| unit | Vacuum Pump 1/2hp | 1 | |
| Reference Photo:  | | | |
| pc | Flaring Tools Set | 2 | |
| Reference Photo:  | | | |
| tank | Freon, R-22 | 5 | |
| Reference Photo:  | | | |

| ELECTRIC MATERIALS | | | |
|---|--|----|--|
| pcs | Tri-plex 2-Gang 250V, Surface type | 50 | |
| Reference Photo: | | | |
|  | | | |
| pcs | Tri-plex 3-Gang 250V, Surface type | 50 | |
| Reference Photo: | | | |
|  | | | |
| roll | Flat Cord Duplex Stranded Wire #14 (White) | 3 | |
| Reference Photo: | | | |
|  | | | |
| roll | Flat Cord Duplex Stranded Wire #14 (Black) | 3 | |
| Reference Photo: | | | |
|  | | | |
| pcs | T8 9W 220V 50/60Hz 6000k LED | 50 | |
| Reference Photo: | | | |
|  | | | |
| pcs | Daylight E27 9W 110-220V LED | 50 | |
| Reference Photo: | | | |
|  | | | |

| | | | |
|---|---|----|--|
| pcs | LED Surface Downlight 10W 4000K/24 | 50 | |
| Reference Photo: | | | |
|  | | | |
| pc | Multi Tester | 3 | |
| Reference Photo: | | | |
|  | | | |
| pcs | T5 Tube Light 90cm 12 watts (warm white) Backing of facial mirror | 30 | |
| pcs | T5 Tube Light 60cm 12 watts (warm white) Backing of facial mirror | 30 | |
| Reference Photo: | | | |
|  | | | |
| pcs | E27 Filament Bulb 12 watts (warm white) | 50 | |
| Reference Photo: | | | |
|  | | | |
| pcs | E27 JF-AP3W 3 watts LED (warm white) | 50 | |
| Reference Photo: | | | |



ELECTRICAL AND AIRCON MATERIALS

| | | | |
|-----|-------------------------------------|---|--|
| pcs | MCB 2-Pole, 10KA, 450VAC, 20 Ampere | 5 | |
| pcs | MCB 2-Pole, 10KA, 450VAC, 25 Ampere | 5 | |
| pcs | MCB 2-Pole, 10KA, 450VAC, 32 Ampere | 5 | |
| pcs | MCB 2-Pole, 10KA, 450VAC, 40 Ampere | 5 | |
| pcs | MCB 2-Pole, 10KA, 450VAC, 50 Ampere | 5 | |
| pcs | MCB 2-Pole, 10KA, 450VAC, 63 Ampere | 5 | |

Reference Photo:







| | | | |
|------|-------------------|---|--|
| roll | Royal Cord 4C #16 | 2 | |
| roll | Royal Cord 3C #10 | 2 | |




Reference Photo:








| | | | |
|-----|----------------|---|--|
| box | THHN WIRE #14 | 2 | |
| box | THHN WIRE # 12 | 2 | |
| box | THHN WIRE # 10 | 2 | |





Reference Photo:






| | | | |
|--|---|---|--|
|  | | | |
| MACHINERY TOOLS | | | |
| pc | Wet & Dry Vacuum Cleaner, 30L | 1 | |
| Reference Photo:  | | | |
| pc | Electric Air Compressor Note: 50L Voltage - 220-24A-60HZ input power: 2X1500W (4HP) | 1 | |
| Reference Photo:  | | | |
| pc | Inverter Welding Machine | 1 | |
| Reference Photo:  | | | |
| pc | SDS Rotary Hammer Drill | 1 | |
| Reference Photo: | | | |

| | | | |
|--|--|---|--|
|  | | | |
| pc | Heavy Duty Adjustable Wrench 18" | 3 | |
| pc | Heavy Duty Adjustable Wrench 10" | 3 | |
| Reference Photo:  | | | |
| pc | Circular Saw Note. 58068 7-114" (185mm) 1,050W | 1 | |
| Reference Photo:  | | | |
| pc | SDS Masonry Drill Bit 4mm X 110 | 5 | |
| pc | SDS Masonry Drill Bit 5mm X 110 | 5 | |
| pc | SDS Masonry Drill Bit 6mm X 110 | 5 | |
| pc | SDS Masonry Drill Bit 8mm X 110 | 5 | |
| pc | SDS Masonry Drill Bit 10mm X 110 | 5 | |
| Reference Photo: | | | |

| | | | |
|--|-----------------------------------|---|--|
|  | | | |
| pc | SDS Pointed Chisel Bit, 280mm | 5 | |
| Reference Photo:  | | | |
| pc | SDS Flat Chisel Bit, 280mm | 5 | |
| Reference Photo:  | | | |
| pc | Cordless Impact Wrench w/ Battery | 1 | |
| Reference Photo:  | | | |
| pcs | Lineman Plier 8" | 5 | |
| Reference Photo:  | | | |
| pcs | Long nose Plier 8" | 5 | |
| Reference Photo: | | | |

| | | | |
|--|-------------------------|-----|--|
|  | | | |
| pcs | Diagonal Plier 8" | 5 | |
| Reference Photo:  | | | |
| PLUMBING TOOLS | | | |
| pcs | Dyna Bolt 3/8 x 3" | 100 | |
| pcs | Dyna Bolt 1/2 x 3" | 100 | |
| Reference Photo:  | | | |
| boxes | Tox w/ Screw 6mm | 15 | |
| boxes | Tox w/ Screw 8mm | 15 | |
| boxes | Tox w/ Screw 10 mm | 15 | |
| Reference Photo:  | | | |
| cans | Water Stop | 30 | |
| Reference Photo:  | | | |
| pcs | Lavatory P Trap, 1 1/2" | 50 | |

| | | | |
|---|--------------------------------------|-----|--|
| | | | |
| Reference Photo:  | | | |
| pcs | Washer 3/8 x 1", rubber | 200 | |
| Reference Photo:  | | | |
| bottles | Liquid Sosa, 500ml | 50 | |
| Reference Photo:  | | | |
| pcs | Tape Measure 5m | 5 | |
| Reference Photo:  | | | |
| pcs | Bidet Hose, Flexible 1/2 x 1/2 x 24" | 75 | |
| pcs | Bidet Hose, Flexible 1/2 x 1/2 x 12" | 75 | |
| Reference Photo:  | | | |

| | | | |
|---|---|----|--|
| pcs | Elastomeric Sealant 1 liter | 20 | |
| Reference Photo:  | | | |
| pcs | Clear Silicon Sealant | 50 | |
| Reference Photo:  | | | |
| pcs | Caulking Gun | 5 | |
| Reference Photo:  | | | |
| Liters | T-5125 Barely White Flat Latex Paint, 4L | 20 | |
| Liters | T-5125 Barely White Semi Gloss Paint, 4L | 20 | |
| Reference Photo:  | | | |
| set | Handheld Sprayer Bidet Set, Stainless Steel | 50 | |
| Reference Photo:  | | | |

| | |
|---|--|
| | |
| Delivery Schedule: Items should be delivered within thirty (30) calendar days upon issuance of Notice to Proceed (NTP). | |
| Terms of Payment: a. Payment shall be made upon completion of the delivery schedule and upon submission of the following documents for payment processing (e.g., delivery receipt, sales invoice, billing statement, warranty certificate (if applicable), and other documents required in this technical specifications). b. Payment shall be subject to applicable taxes, auditing, and accounting rules and regulations and existing rules and regulations of PCO relative to payment of procurement contracts. | |
| Penalty for Delay: When the winning bidder fails to satisfactorily deliver goods under the contract within the specified delivery schedule, inclusive of duly granted time extensions, if any, the supplier shall be liable for damages for the delay and shall pay PCO liquidated damages, not by way of penalty, an amount equal to one-tenth (1/10) of one percent (1%) of the cost of the delayed goods scheduled for delivery for every day of delay until such goods are finally delivered and accepted by PCO. | |

Conforme :

Full Name and Signature of Bidder/Authorized Rep :

Designation :

Name of Company :